

Mars Sample Return Architecture Planning




Notional Mars Sample Return Architecture

- Mars 2020 could represent the first step in a Mars Sample Return campaign, acquiring and caching a scientifically selected set of Martian samples
- NASA and ESA are now jointly studying the follow-on flight elements that would return those samples to Earth



Sample Caching Rover (Mars 2020) Operations

- Sample acquisition/caching
- Sample (subset) delivery



Sample Retrieval Lander

- Fetch Rover
- Orbiting Sample (OS) container
- Mars Ascent Vehicle



Earth Return Orbiter

- Capture/Containment System
- Earth Return Vehicle




- Handling
- Sample Receiving Facility
- Curation
- Sample science investigations

Flight Elements

Ground Element

MSR Concept of Operations



Sample Retrieval Lander Concept

 NASA is leading studies of a Sample Retrieval Lander mission


SRL 🚳


Earth to Mars


- SRL would be responsible for retrieving Mars 2020 samples and launching them into a stable Mars orbit
- Currently evaluating Propulsive Platform Lander and Skycrane landing concepts
- Mission design allows surface mission during Martian spring/summer at the Jezero landing site, enabling solar-powered designs

M2020


Papo.









Key SRL Conceptual Mission Elements



Orbiting Sample Container




Mars Ascent Vehicle



Sample Fetch Rover





SRL Sample Transfer Arm **@esa**

